

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	143	712/37.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:39
S2	1100	711/103.ccls. or 711/211.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:41
S3	2113	365/185.33.ccls. or 365/189.02.ccls. or 365/230.02.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:48
S4	147	(pga or fpga or dfpga or dpga) same (mux or multiplex\$3 or selector) same (prom or eeprom or flash or eprom or rom)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:51
S5	3215	712/37.ccls. or (711/103.ccls. or 711/211.ccls.) or (365/185.33.ccls. or 365/189.02.ccls. or 365/230.02.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/22 12:27
S6	4	(712/37.ccls. or (711/103.ccls. or 711/211.ccls.) or (365/185.33.ccls. or 365/189.02.ccls. or 365/230.02.ccls.)) and ((pga or fpga or dfpga or dpga) same (mux or multiplex\$3 or selector) same (prom or eeprom or flash or eprom or rom))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/21 18:58
S7	2	"5640107".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/21 18:58
S8	2	"5628028".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/21 18:59
S9	2	"5465106".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/25 09:18

S10	2	"6460128".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/09/25 09:18
S11	150	712/37.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/22 12:19
S12	1411	711/103.ccls. or 711/211.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/22 12:19
S13	2343	365/185.33.ccls. or 365/189.02.ccls. or 365/230.02.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/22 12:19
S14	672	(pga or fpga or dfpga or dpga or (program\$6 with array)) same (mux or multiplex\$3 or selector) same (prom or eeprom or flash or eeprom or rom)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:52
S15	3011	326/37-41.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:48
S16	6703	712/37.ccls. or (711/103.ccls. or 711/211.ccls.) or (365/185.33.ccls. or 365/189.02.ccls. or 365/230.02.ccls.) or 326/37-41.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/22 12:47
S17	20077	(mux or multiplex\$3 or selector) same (prom or eeprom or flash or eeprom or rom)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/22 12:29
S18	4318	326/37-41.ccls. or 326/44-45.ccls. or 326/47.ccls. or 326/49-50.ccls. or 326/101-103.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:49
S19	389	(pga or fpga or dfpga or dpga or (gate near5 array)) same (mux or multiplex\$3 or selector) same (prom or eeprom or flash or eeprom or rom)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 13:09

S20	8006	712/37.ccls. or (711/103.ccls. or 711/211.ccls.) or (365/185.33.ccls. or 365/189.02.ccls. or 365/230.02.ccls.) or (326/37-41.ccls. or 326/44-45.ccls. or 326/47.ccls. or 326/49-50.ccls. or 326/101-103.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/22 12:48
S21	81	((pga or fpga or dfpga or dpga or (gate near5 array)) same (mux or multiplex\$3 or selector) same (prom or eeprom or flash or eprom or rom)) and (712/37.ccls. or (711/103.ccls. or 711/211.ccls.) or (365/185.33.ccls. or 365/189.02.ccls. or 365/230.02.ccls.) or (326/37-41.ccls. or 326/44-45.ccls. or 326/47.ccls. or 326/49-50.ccls. or 326/101-103.ccls.))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/22 12:49
S22	50	((((pga or fpga or dfpga or dpga or (gate near5 array)) same (mux or multiplex\$3 or selector) same (prom or eeprom or flash or eprom or rom)) and (712/37.ccls. or (711/103.ccls. or 711/211.ccls.) or (365/185.33.ccls. or 365/189.02.ccls. or 365/230.02.ccls.) or (326/37-41.ccls. or 326/44-45.ccls. or 326/47.ccls. or 326/49-50.ccls. or 326/101-103.ccls.))) and (@ad<="19990811" or @rlad<="19990811"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/22 13:50
S23	43	(configur\$6 or schema) and (((pga or fpga or dfpga or dpga or (gate near5 array)) same (mux or multiplex\$3 or selector) same (prom or eeprom or flash or eprom or rom)) and (712/37.ccls. or (711/103.ccls. or 711/211.ccls.) or (365/185.33.ccls. or 365/189.02.ccls. or 365/230.02.ccls.) or (326/37-41.ccls. or 326/44-45.ccls. or 326/47.ccls. or 326/49-50.ccls. or 326/101-103.ccls.))) and (@ad<="19990811" or @rlad<="19990811"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/22 12:53
S24	978	program\$6 same (configur\$6 or schema) same ((gate near3 array) or pga or fpga or dfpga or dpga) same (eeprom or prom or eprom)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:54

S25	13	(program\$6 same (configur\$6 or schema) same ((gate near3 array) or pga or fpga or dfpga or dpga) same (eeprom or prom or eprom)) and ((configur\$6 or schema) and (((pga or fpga or dfpga or dpga or (gate near5 array)) same (mux or multiplex\$3 or selector) same (prom or eeprom or flash or eprom or rom)) and (712/37.ccls. or (711/103.ccls. or 711/211.ccls.) or (365/185.33.ccls. or 365/189.02.ccls. or 365/230.02.ccls.) or (326/37-41.ccls. or 326/44-45.ccls. or 326/47.ccls. or 326/49-50.ccls. or 326/101-103.ccls.))) and (@ad<="19990811" or @rlad<="19990811"))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/22 13:49
S26	1	"4879688".PN.	USPAT	OR	OFF	2004/10/22 13:45
S27	1	"4879688".PN.	USPAT	OR	OFF	2004/10/22 13:45
S28	1	"5148527".PN.	USPAT	OR	OFF	2004/10/22 13:47
S29	1	"5426378".PN.	USPAT	OR	OFF	2004/10/22 13:47
S30	1	"5426379".PN.	USPAT	OR	OFF	2004/10/22 13:48
S31	1	"5670897".PN.	USPAT	OR	OFF	2004/10/22 13:49
S32	819	713/100.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/22 13:49
S33	15	(program\$6 same (configur\$6 or schema) same ((gate near3 array) or pga or fpga or dfpga or dpga) same (eeprom or prom or eprom)) and 713/100.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 13:08
S34	7	((program\$6 same (configur\$6 or schema) same ((gate near3 array) or pga or fpga or dfpga or dpga) same (eeprom or prom or eprom)) and 713/100.ccls.) and (@ad<="19990811" or @rlad<="19990811")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 13:13
S35	10	baier-heinz\$.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:51
S36	1	baier-heinz\$.in. and (program\$6 same (configur\$6 or schema) same ((gate near3 array) or pga or fpga or dfpga or dpga) same (eeprom or prom or eprom))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/22 14:03

S37	2138	710/8.ccls. or 710/10.ccls. or 710/14.ccls. or 710/104.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:49
S38	1355	711/170.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 13:08
S39	2286	713/1-2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:50
S40	990	(program\$6 same (configur\$6 or schema) same ((gate near3 array) or pga or fpga or dfpga or dpga) same (eeprom or prom or eprom))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 13:31
S41	5354	(710/8.ccls. or 710/10.ccls. or 710/14.ccls. or 710/104.ccls.) or 711/170.ccls. or 713/1-2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 13:09
S42	38	((program\$6 same (configur\$6 or schema) same ((gate near3 array) or pga or fpga or dfpga or dpga) same (eeprom or prom or eprom))) and ((710/8.ccls. or 710/10.ccls. or 710/14.ccls. or 710/104.ccls.) or 711/170.ccls. or 713/1-2.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 13:33
S43	391	(pga or fpga or dfpga or dpga or (gate near5 array)) same (mux or multiplex\$3 or selector) same (prom or eeprom or flash or eprom or rom)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 13:10
S44	0	((((program\$6 same (configur\$6 or schema) same ((gate near3 array) or pga or fpga or dfpga or dpga) same (eeprom or prom or eprom))) and ((710/8.ccls. or 710/10.ccls. or 710/14.ccls. or 710/104.ccls.) or 711/170.ccls. or 713/1-2.ccls.)) and ((pga or fpga or dfpga or dpga or (gate near5 array)) same (mux or multiplex\$3 or selector) same (prom or eeprom or flash or eprom or rom))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 13:10

S45	11	((710/8.ccls. or 710/10.ccls. or 710/14.ccls. or 710/104.ccls.) or 711/170.ccls. or 713/1-2.ccls.) and ((pga or fpga or dfpga or dpga or (gate near5 array)) same (mux or multiplex\$3 or selector) same (prom or eeprom or flash or eprom or rom))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 13:32
S46	9	((710/8.ccls. or 710/10.ccls. or 710/14.ccls. or 710/104.ccls.) or 711/170.ccls. or 713/1-2.ccls.) and ((pga or fpga or dfpga or dpga or (gate near5 array)) same (mux or multiplex\$3 or selector) same (prom or eeprom or flash or eprom or rom))) and (@ad<="19990811" or @rlad<="19990811")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:56
S47	1174	((program\$6 or writ\$3 or stor\$3) same (configur\$6 or schema) same ((gate near3 array) or pga or fpga or dfpga or dpga) same (eeprom or prom or eprom))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:54
S48	60	((program\$6 or writ\$3 or stor\$3) same (configur\$6 or schema) same ((gate near3 array) or pga or fpga or dfpga or dpga) same (eeprom or prom or eprom))) and ((pga or fpga or dfpga or dpga or (gate near5 array)) same (mux or multiplex\$3 or selector) same (prom or eeprom or flash or eprom or rom))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 13:32
S49	29	((program\$6 or writ\$3 or stor\$3) same (configur\$6 or schema) same ((gate near3 array) or pga or fpga or dfpga or dpga) same (eeprom or prom or eprom))) and ((pga or fpga or dfpga or dpga or (gate near5 array)) same (mux or multiplex\$3 or selector) same (prom or eeprom or flash or eprom or rom))) and (@ad<="19990811" or @rlad<="19990811")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 13:33

S50	0	((((program\$6 or writ\$3 or stor\$3) same (configur\$6 or schema) same ((gate near3 array) or pga or fpga or dfpga or dpga) same (eeprom or prom or eprom))) and ((pga or fpga or dfpga or dpga or (gate near5 array)) same (mux or multiplex\$3 or selector) same (prom or eeprom or flash or eprom or rom))) and (@ad<="19990811" or @rlad<="19990811")) and ((710/8.ccls. or 710/10.ccls. or 710/14.ccls. or 710/104.ccls.) or 711/170.ccls. or 713/1-2.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 15:22
S51	2	"6408357".pn. and operating	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 16:30
S52	1	"6408357".pn. and board	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/29 16:30
S49 3	3350	711/103.ccls. or 711/211.ccls. or 711/159.ccls. or 711/170.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:47
S49 4	154	712/37.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:47
S49 5	2453	365/185.33.ccls. or 365/189.02.ccls. or 365/230.02.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:48
S49 7	4563	326/37-41.ccls. or 326/44-45.ccls. or 326/47.ccls. or 326/49-50.ccls. or 326/101-103.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:49

S49 8	2303	710/8.ccls. or 710/10.ccls. or 710/14.ccls. or 710/104.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:49
S49 9	2961	713/1-2.ccls. or 713/100.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:50
S50 0	10	baier-heinz\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:51
S50 1	710	(pga or fpga or dfpga or dpga or (program\$6 with array)) same (mux or multiplex\$3 or selector) same (prom or eeprom or flash or eprom or rom)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 14:27
S50 2	235	(pga or fpga or dfpga or dpga) same (mux or multiplex\$3 or selector) same (prom or eeprom or flash or eprom or rom)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 14:27
S50 3	1164	program\$6 same (configur\$6 or schema) same ((gate near3 array) or pga or fpga or dfpga or dpga) same (eeprom or prom or eprom)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:57
S50 4	14753	S493 or S494 or S495 or S497 or S498 or S499	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 13:55
S50 5	168	S504 and S501	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 14:30
S50 6	118	S505 and (@ad<="19990811" or @rlad<="19990811")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 15:26

S507	23	S506 and S503	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 14:31
S510	3854	(pga or fpga or dfpga or dpga or (program\$6 with array)) same (mux or multiplex\$3 or select\$3 or switch\$3) same (prom or eeprom or flash or eprom or rom)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 14:29
S511	634	S504 and S510	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 14:30
S513	473	S511 and (@ad<="19990811" or @rlad<="19990811")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 15:27
S514	53	S513 and S503	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 14:31
S515	30	S514 not S507	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 15:21
S516	1	S500 and S510	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 15:25
S518	36	S501 same S503	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 15:26

S52 0	15	S518 and (@ad<="19990811" or @riad<="19990811")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 15:27
----------	----	--	---	----	----	------------------